

# Chapter 4

## Greedy Algorithms



Slides by Kevin Wayne.  
Copyright © 2005 Pearson-Addison Wesley.  
All rights reserved.


## 4.1 Interval Scheduling

---

# Interval Scheduling

## Interval scheduling.

- Job  $j$  starts at  $s_j$  and finishes at  $f_j$ .
- Two jobs **compatible** if they don't overlap.
- Goal: find maximum subset of mutually compatible jobs.



## Interval Scheduling: Greedy Algorithms

**Greedy template.** Consider jobs in some order. Take each job provided it's compatible with the ones already taken.

- [Earliest start time] Consider jobs in ascending order of start time  $s_j$ .
- [Earliest finish time] Consider jobs in ascending order of finish time  $f_j$ .
- [Shortest interval] Consider jobs in ascending order of interval length  $f_j - s_j$ .
- [Fewest conflicts] For each job, count the number of conflicting jobs  $c_j$ . Schedule in ascending order of conflicts  $c_j$ .

## Interval Scheduling: Greedy Algorithms

*Greedy template.* Consider jobs in some order. Take each job provided it's compatible with the ones already taken.



breaks earliest start time



breaks shortest interval




breaks fewest conflicts

## Interval Scheduling: Greedy Algorithm

**Greedy algorithm.** Consider jobs in increasing order of finish time. Take each job provided it's compatible with the ones already taken.

```
Sort jobs by finish times so that  $f_1 \leq f_2 \leq \dots \leq f_n$ .  
  ↙ jobs selected  
A ←  $\phi$   
for j = 1 to n {  
    if (job j compatible with A)  
        A ← A ∪ {j}  
}  
return A
```



**Implementation.**  $O(n \log n)$ .


- Remember job  $j^*$  that was added last to A.
- Job j is compatible with A if  $s_j \geq f_{j^*}$ .

# Interval Scheduling: Analysis

**Theorem.** Greedy algorithm is optimal.

**Pf.** (by contradiction)

- Assume greedy is not optimal, and let's see what happens.
- Let  $i_1, i_2, \dots, i_k$  denote set of jobs selected by greedy.
- Let  $j_1, j_2, \dots, j_m$  denote set of jobs in the optimal solution with  $i_1 = j_1, i_2 = j_2, \dots, i_r = j_r$  for the largest possible value of  $r$ .




# Interval Scheduling: Analysis

**Theorem.** Greedy algorithm is optimal.

**Pf.** (by contradiction)

- Assume greedy is not optimal, and let's see what happens.
- Let  $i_1, i_2, \dots, i_k$  denote set of jobs selected by greedy.
- Let  $j_1, j_2, \dots, j_m$  denote set of jobs in the optimal solution with  $i_1 = j_1, i_2 = j_2, \dots, i_r = j_r$  for the largest possible value of  $r$ .



Proof by induction that for each  $r \geq 1$  the greedy algorithm stays ahead of the optimal algorithm

solution still feasible and optimal, but contradicts maximality of  $r$ .



## 4.1 Interval Partitioning


---

# Interval Partitioning

## Interval partitioning.

- Lecture  $j$  starts at  $s_j$  and finishes at  $f_j$ .
- Goal: find minimum number of classrooms to schedule all lectures so that no two occur at the same time in the same room.

Ex: This schedule uses 4 classrooms to schedule 10 lectures.




# Interval Partitioning

## Interval partitioning.

- Lecture  $j$  starts at  $s_j$  and finishes at  $f_j$ .
- Goal: find minimum number of classrooms to schedule all lectures so that no two occur at the same time in the same room.

Ex: This schedule uses only 3.



## Interval Partitioning: Lower Bound on Optimal Solution


**Def.** The **depth** of a set of open intervals is the maximum number that contain any given time.

**Key observation.** Number of classrooms needed  $\geq$  depth.

**Ex:** Depth of schedule below = 3  $\Rightarrow$  schedule below is optimal.

↑  
a, b, c all contain 9:30

**Q.** Does there always exist a schedule equal to depth of intervals?



## Interval Partitioning: Greedy Algorithm

**Greedy algorithm.** Consider lectures in increasing order of start time: assign lecture to any compatible classroom.

```
Sort intervals by starting time so that  $s_1 \leq s_2 \leq \dots \leq s_n$ .  
d  $\leftarrow$  0  $\leftarrow$  number of allocated classrooms  
  
for j = 1 to n {  
    if (lecture j is compatible with some classroom k)  
        schedule lecture j in classroom k  
    else  
        allocate a new classroom d + 1  
        schedule lecture j in classroom d + 1  
        d  $\leftarrow$  d + 1  
}
```

**Implementation.**  $O(n \log n)$ .

- For each classroom k, maintain the finish time of the last job added.
- Keep the classrooms in a priority queue.

## Interval Partitioning: Greedy Analysis

**Observation.** Greedy algorithm never schedules two incompatible lectures in the same classroom.

**Theorem.** Greedy algorithm is optimal.

**Pf.**

- Let  $d$  = number of classrooms that the greedy algorithm allocates.
- Classroom  $d$  is opened because we needed to schedule a job, say  $j$ , that is incompatible with all  $d-1$  other classrooms.
- Since we sorted by start time, all these incompatibilities are caused by lectures that start no later than  $s_j$ .
- Thus, we have  $d$  lectures overlapping at time  $s_j + \epsilon$ .
- Key observation  $\Rightarrow$  all schedules use  $\geq d$  classrooms. ▪

## 4.2 Scheduling to Minimize Lateness

---





## Minimizing Lateness: Greedy Algorithms

Greedy template. Consider jobs in some order.

- [Shortest processing time first] Consider jobs in ascending order of processing time  $t_j$ .
- [Earliest deadline first] Consider jobs in ascending order of deadline  $d_j$ .
- [Smallest slack] Consider jobs in ascending order of slack  $d_j - t_j$ .

## Minimizing Lateness: Greedy Algorithms

Greedy template. Consider jobs in some order.

- [Shortest processing time first] Consider jobs in ascending order of processing time  $t_j$ .

	1	2
$t_j$	1	10
$d_j$	100	10

counterexample

- [Smallest slack] Consider jobs in ascending order of slack  $d_j - t_j$ .


	1	2
$t_j$	1	10
$d_j$	2	10

counterexample

## Minimizing Lateness: Greedy Algorithm


Greedy algorithm. Earliest deadline first.

```
Sort n jobs by deadline so that  $d_1 \leq d_2 \leq \dots \leq d_n$   
  
t ← 0  
for j = 1 to n  
    Assign job j to interval [t, t + tj]  
    sj ← t, fj ← t + tj  
    t ← t + tj  
output intervals [sj, fj]
```



## Minimizing Lateness: No Idle Time

**Observation.** There exists an optimal schedule with no **idle time**.



**Observation.** The greedy schedule has no idle time.

## Minimizing Lateness: Inversions

**Def.** An **inversion** in schedule  $S$  is a pair of jobs  $i$  and  $j$  such that:  $i < j$  but  $j$  scheduled before  $i$ .




**Observation.** Greedy schedule has no inversions.

**Observation.** If a schedule (with no idle time) has an inversion, it has one with a pair of inverted jobs scheduled consecutively.

## Minimizing Lateness: Inversions

**Def.** An **inversion** in schedule  $S$  is a pair of jobs  $i$  and  $j$  such that:  $i < j$  but  $j$  scheduled before  $i$ .



**Claim.** Swapping two adjacent, inverted jobs reduces the number of inversions by one and does not increase the max lateness.

**Pf.** Let  $l$  be the lateness before the swap, and let  $l'$  be it afterwards.

- $l'_k = l_k$  for all  $k \neq i, j$
- $l'_i \leq l_i$
- If job  $j$  is late:

$$\begin{aligned}
 l'_j &= f'_j - d_j && \text{(definition)} \\
 &= f_i - d_j && \text{(} j \text{ finishes at time } f_i \text{)} \\
 &\leq f_i - d_i && \text{(} i < j \text{)} \\
 &\leq l_i && \text{(definition)}
 \end{aligned}$$

## Minimizing Lateness: Analysis of Greedy Algorithm

**Theorem.** Greedy schedule  $S$  is optimal.

**Pf.** Define  $S^*$  to be an optimal schedule that has the fewest number of inversions, and let's see what happens.

- Can assume  $S^*$  has no idle time.
- If  $S^*$  has no inversions, then  $S = S^*$ .
- If  $S^*$  has an inversion, let  $i$ - $j$  be an adjacent inversion.
  - swapping  $i$  and  $j$  does not increase the maximum lateness and strictly decreases the number of inversions
  - this contradicts definition of  $S^*$  ▪

## Greedy Analysis Strategies

**Greedy algorithm stays ahead.** Show that after each step of the greedy algorithm, its solution is at least as good as any other algorithm's.

**Exchange argument.** Gradually transform any solution to the one found by the greedy algorithm without hurting its quality.

**Structural.** Discover a simple "structural" bound asserting that every possible solution must have a certain value. Then show that your algorithm always achieves this bound.



## 4.3 Optimal Caching

---

# Optimal Offline Caching

## Caching.

- Cache with capacity to store  $k$  items.
- Sequence of  $m$  item requests  $d_1, d_2, \dots, d_m$ .
- Cache hit: item already in cache when requested.
- Cache miss: item not already in cache when requested: must bring requested item into cache, and evict some existing item, if full.

**Goal.** Eviction schedule that minimizes number of cache misses.


**Ex:**  $k = 2$ , initial cache =  $ab$ ,  
requests:  $a, b, c, b, c, a, a, b$ .

**Optimal eviction schedule:** 2 cache misses.

a	a	b
b	a	b
c	c	b
b	c	b
c	c	b
a	a	b
a	a	b
b	a	b
requests	cache	

## Optimal Offline Caching: Farthest-In-Future


**Farthest-in-future.** Evict item in the cache that is not requested until farthest in the future.



**Theorem.** [Bellady, 1960s] FF is optimal eviction schedule.

**Pf.** Algorithm and theorem are intuitive; proof is subtle.

## 4.4 Shortest Paths in a Graph



shortest path from Princeton CS department to Einstein's house

# Shortest Path Problem


## Shortest path network.

- Directed graph  $G = (V, E)$ .
- Source  $s$ , destination  $t$ .
- Length  $\ell_e =$  length of edge  $e$ .

Shortest path problem: find shortest directed path from  $s$  to  $t$ .



cost of path = sum of edge costs in path



Cost of path  $s-2-3-5-t$   
 $= 9 + 23 + 2 + 16$   
 $= 48.$

# Dijkstra's Algorithm

## Dijkstra's algorithm.


- Maintain a set of **explored nodes**  $S$  for which we have determined the shortest path distance  $d(u)$  from  $s$  to  $u$ .
- Initialize  $S = \{s\}$ ,  $d(s) = 0$ .
- Repeatedly choose unexplored node  $v$  which minimizes (go through edges)

$$\pi(v) = \min_{e = (u,v) : u \in S} d(u) + \ell_e,$$

add  $v$  to  $S$ , and set  $d(v) = \pi(v)$ .

- Add only node for which  $\pi(v)$  is minimum

shortest path to some  $u$  in explored part, followed by a single edge  $(u, v)$



# Dijkstra's Algorithm

## Dijkstra's algorithm.


- Maintain a set of **explored nodes**  $S$  for which we have determined the shortest path distance  $d(u)$  from  $s$  to  $u$ .
- Initialize  $S = \{s\}$ ,  $d(s) = 0$ .
- Repeatedly choose unexplored node  $v$  which minimizes

$$\pi(v) = \min_{e = (u,v) : u \in S} d(u) + \ell_e,$$

add  $v$  to  $S$ , and set  $d(v) = \pi(v)$ .

- Running time ?

shortest path to some  $u$  in explored part, followed by a single edge  $(u, v)$



# Dijkstra's Algorithm

## Dijkstra's algorithm.


- Maintain a set of **explored nodes**  $S$  for which we have determined the shortest path distance  $d(u)$  from  $s$  to  $u$ .
- Initialize  $S = \{s\}$ ,  $d(s) = 0$ .
- Repeatedly choose unexplored node  $v$  which minimizes

$$\pi(v) = \min_{e = (u,v) : u \in S} d(u) + \ell_e,$$

add  $v$  to  $S$ , and set  $d(v) = \pi(v)$ .

- Running time  $O(mn)$ - simple implementation
- Can we do better ?

shortest path to some  $u$  in explored part, followed by a single edge  $(u, v)$





## Dijkstra's Algorithm: Proof of Correctness


**Invariant.** For each node  $u \in S$ ,  $d(u)$  is the length of the shortest  $s$ - $u$  path.

**Pf.** (by induction on  $|S|$ )

**Base case:**  $|S| = 1$  is trivial.

**Inductive hypothesis:** Assume true for  $|S| = k \geq 1$ .

- Let  $v$  be next node added to  $S$ , and let  $u$ - $v$  be the chosen edge.
- The shortest  $s$ - $u$  path plus  $(u, v)$  is an  $s$ - $v$  path of length  $\pi(v)$ .
- Consider any  $s$ - $v$  path  $P$ . We'll see that it's no shorter than  $\pi(v)$ .
- Let  $x$ - $y$  be the first edge in  $P$  that leaves  $S$ , and let  $P'$  be the subpath to  $x$ .
- $P$  is already too long as soon as it leaves  $S$ .



$$l(P) \geq l(P') + l(x, y) \geq d(x) + l(x, y) \geq \pi(y) \geq \pi(v)$$

$\uparrow$  nonnegative weights       $\uparrow$  inductive hypothesis       $\uparrow$  defn of  $\pi(y)$        $\uparrow$  Dijkstra chose  $v$  instead of  $y$


## Dijkstra's Algorithm: Implementation

For each unexplored node, explicitly maintain  $\pi(v) = \min_{e=(u,v): u \in S} d(u) + \ell_e$ .

- Next node to explore = node with minimum  $\pi(v)$ .
- When exploring  $v$ , for each incident edge  $e = (v, w)$ , update

$$\pi(w) = \min \{ \pi(w), \pi(v) + \ell_e \}.$$

**Efficient implementation.** Maintain a priority queue of unexplored nodes, prioritized by  $\pi(v)$ .



PQ Operation	Dijkstra	Array	Binary heap	d-way Heap	Fib heap †
Insert	$n$	$n$	$\log n$	$d \log_d n$	1
ExtractMin	$n$	$n$	$\log n$	$d \log_d n$	$\log n$
ChangeKey	$m$	1	$\log n$	$\log_d n$	1
IsEmpty	$n$	1	1	1	1
Total		$n^2$	$m \log n$	$m \log_{m/n} n$	$m + n \log n$

† Individual ops are amortized bounds

# Extra Slides

---

# Coin Changing

---

Greed is good. Greed is right. Greed works.  
Greed clarifies, cuts through, and captures the  
essence of the evolutionary spirit.

- *Gordon Gecko (Michael Douglas)*



## Coin Changing

**Goal.** Given currency denominations: 1, 5, 10, 25, 100, devise a method to pay amount to customer using fewest number of coins.

**Ex:** 34¢.



**Cashier's algorithm.** At each iteration, add coin of the largest value that does not take us past the amount to be paid.

**Ex:** \$2.89.



## Coin-Changing: Greedy Algorithm

**Cashier's algorithm.** At each iteration, add coin of the largest value that does not take us past the amount to be paid.

```
Sort coins denominations by value:  $c_1 < c_2 < \dots < c_n$ .  
  
coins selected  
S ←  $\phi$   
while (x ≠ 0) {  
    let k be largest integer such that  $c_k \leq x$   
    if (k = 0)  
        return "no solution found"  
    x ← x -  $c_k$   
    S ← S ∪ {k}  
}  
return S
```

Q. Is cashier's algorithm optimal?

## Coin-Changing: Analysis of Greedy Algorithm

**Theorem.** Greedy is optimal for U.S. coinage: 1, 5, 10, 25, 100.

**Pf.** (by induction on  $x$ )

- Consider optimal way to change  $c_k \leq x < c_{k+1}$  : greedy takes coin  $k$ .
- We claim that any optimal solution must also take coin  $k$ .
  - if not, it needs enough coins of type  $c_1, \dots, c_{k-1}$  to add up to  $x$
  - table below indicates no optimal solution can do this
- Problem reduces to coin-changing  $x - c_k$  cents, which, by induction, is optimally solved by greedy algorithm. ▪

$k$	$c_k$	All optimal solutions must satisfy	Max value of coins 1, 2, ..., $k-1$ in any OPT
1	1	$P \leq 4$	-
2	5	$N \leq 1$	4
3	10	$N + D \leq 2$	$4 + 5 = 9$
4	25	$Q \leq 3$	$20 + 4 = 24$
5	100	no limit	$75 + 24 = 99$

# Coin-Changing: Analysis of Greedy Algorithm

**Observation.** Greedy algorithm is sub-optimal for US postal denominations: 1, 10, 21, 34, 70, 100, 350, 1225, 1500.

**Counterexample.** 140¢.

- Greedy: 100, 34, 1, 1, 1, 1, 1, 1.
- Optimal: 70, 70.

