

Network Security - ISA 656

IPsec

IPsec Key Management (IKE)

Angelos Stavrou

October 1, 2007

History

IPSec
What is IPsec, and Why?

History

IPsec Structure
Packet Layout
Authentication Header (AH)
AH Layout
Encapsulating Security Payload (ESP)
ESP Layout
Topologies
Paths
Uses for IPsec
IPsec and Firewalls
IPsec and the DNS Implementation
Issues

Key Management Requirements

Internet Key Exchange (IKE)

Some Attacks

SP3 Layer 3 security protocol for SDNS.

NLSP OSified version of SP3, with an incomprehensible spec.

swIPe UNIX implementation by Ioannidis and Blaze.

What is IPsec, and Why?

IPSec
What is IPsec, and Why?

History

IPsec Structure
Packet Layout
Authentication Header (AH)
AH Layout
Encapsulating Security Payload (ESP)

ESP Layout
Topologies

Paths

Uses for IPsec

IPsec and Firewalls

IPsec and the DNS Implementation
Issues

Key Management Requirements

Internet Key Exchange (IKE)

Some Attacks

- Network-layer security protocol for the Internet.
- Completely transparent to applications.
- TCP- or application-level retransmissions handle deleted or damaged packets.
- Generally must modify protocol stack or kernel; out of reach of application writers or users.

IPsec Structure

IPSec
What is IPsec, and Why?

History

IPsec Structure

Packet Layout
Authentication Header (AH)
AH Layout
Encapsulating Security Payload (ESP)

ESP Layout
Topologies

Paths

Uses for IPsec

IPsec and Firewalls

IPsec and the DNS Implementation
Issues

Key Management Requirements

Internet Key Exchange (IKE)

Some Attacks

- Nested headers: IP, ESP, AH, maybe another IP, TCP or UDP, then data.
- Cryptographic protection can be host to host, host to firewall, or firewall to firewall.
- Option for user-granularity keying.
- Works with IPv4 and IPv6.


Packet Layout

- [IPSec](#)
- [What is IPSec, and Why?](#)
- [History](#)
- [IPsec Structure](#)
- [Packet Layout](#)**
- [Authentication Header \(AH\)](#)
- [AH Layout](#)
- [Encapsulating Security Payload \(ESP\)](#)
- [ESP Layout](#)
- [Topologies](#)
- [Paths](#)
- [Uses for IPSec](#)
- [IPsec and Firewalls](#)
- [IPsec and the DNS Implementation](#)
- [Issues](#)
- [Key Management Requirements](#)
- [Internet Key Exchange \(IKE\)](#)
- [Some Attacks](#)

Transport Mode



Tunnel Mode




Authentication Header (AH)

- [IPSec](#)
- [What is IPSec, and Why?](#)
- [History](#)
- [IPsec Structure](#)
- [Packet Layout](#)
- [Authentication Header \(AH\)](#)**
- [AH Layout](#)
- [Encapsulating Security Payload \(ESP\)](#)
- [ESP Layout](#)
- [Topologies](#)
- [Paths](#)
- [Uses for IPSec](#)
- [IPsec and Firewalls](#)
- [IPsec and the DNS Implementation](#)
- [Issues](#)
- [Key Management Requirements](#)
- [Internet Key Exchange \(IKE\)](#)
- [Some Attacks](#)

- Based on keyed cryptographic hash function.
- Covers payload and portion of preceding IP header.
- Uses *Security Parameter Index (SPI)* to identify security association, and hence key, algorithm, etc.

AH Layout

- [IPSec](#)
- [What is IPSec, and Why?](#)
- [History](#)
- [IPsec Structure](#)
- [Packet Layout](#)
- [Authentication Header \(AH\)](#)
- [AH Layout](#)**
- [Encapsulating Security Payload \(ESP\)](#)
- [ESP Layout](#)
- [Topologies](#)
- [Paths](#)
- [Uses for IPSec](#)
- [IPsec and Firewalls](#)
- [IPsec and the DNS Implementation](#)
- [Issues](#)
- [Key Management Requirements](#)
- [Internet Key Exchange \(IKE\)](#)
- [Some Attacks](#)




Encapsulating Security Payload (ESP)

- [IPSec](#)
- [What is IPSec, and Why?](#)
- [History](#)
- [IPsec Structure](#)
- [Packet Layout](#)
- [Authentication Header \(AH\)](#)
- [AH Layout](#)
- [Encapsulating Security Payload \(ESP\)](#)**
- [ESP Layout](#)
- [Topologies](#)
- [Paths](#)
- [Uses for IPSec](#)
- [IPsec and Firewalls](#)
- [IPsec and the DNS Implementation](#)
- [Issues](#)
- [Key Management Requirements](#)
- [Internet Key Exchange \(IKE\)](#)
- [Some Attacks](#)

- Carries encrypted packet.
- An SPI is used, as with AH.
- Standard use of ESP is for DES in CBC mode.


ESP Layout

- IPSec
- What is IPsec, and Why?
- History
- IPsec Structure
- Packet Layout
- Authentication Header (AH)
- AH Layout
- Encapsulating Security Payload (ESP)
- ESP Layout**
- Topologies
- Paths
- Uses for IPsec
- IPsec and Firewalls
- IPsec and the DNS Implementation Issues
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks



Topologies

- IPSec
- What is IPsec, and Why?
- History
- IPsec Structure
- Packet Layout
- Authentication Header (AH)
- AH Layout
- Encapsulating Security Payload (ESP)
- ESP Layout
- Topologies**
- Paths
- Uses for IPsec
- IPsec and Firewalls
- IPsec and the DNS Implementation Issues
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks



Paths

- IPSec
- What is IPsec, and Why?
- History
- IPsec Structure
- Packet Layout
- Authentication Header (AH)
- AH Layout
- Encapsulating Security Payload (ESP)
- ESP Layout
- Topologies
- Paths**
- Uses for IPsec
- IPsec and Firewalls
- IPsec and the DNS Implementation Issues
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks

- A1 to F1, F2:
Encryptions E_1, E_5
- B1, B2, D1, D2 to F1, F2:
Encryptions E_3, E_5
- A2 to C:
Encryptions E_2, E_4

Uses for IPsec

- IPSec
- What is IPsec, and Why?
- History
- IPsec Structure
- Packet Layout
- Authentication Header (AH)
- AH Layout
- Encapsulating Security Payload (ESP)
- ESP Layout
- Topologies
- Paths
- Uses for IPsec**
- IPsec and Firewalls
- IPsec and the DNS Implementation Issues
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks

- Virtual Private Networks.
- “Phone home” for laptops, telecommuters.
- General Internet security.

IPsec and Firewalls

- IPSec
- What is IPsec, and Why?
- History
- IPsec Structure
- Packet Layout
- Authentication Header (AH)
- AH Layout
- Encapsulating Security Payload (ESP)
- ESP Layout
- Topologies
- Paths
- Uses for IPsec
- IPsec and Firewalls**
- IPsec and the DNS Implementation Issues
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks

- Encryption is not authentication.
- Access controls may need to be applied to encrypted traffic, depending on the source.
- The source IP address is only authenticated if it is somehow bound to the certificate.
- Encrypted traffic can use a different firewall; however, co-ordination of policies may be needed.

IPsec and the DNS

- IPSec
- What is IPsec, and Why?
- History
- IPsec Structure
- Packet Layout
- Authentication Header (AH)
- AH Layout
- Encapsulating Security Payload (ESP)
- ESP Layout
- Topologies
- Paths
- Uses for IPsec
- IPsec and Firewalls
- IPsec and the DNS Implementation Issues**
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks

- IPsec often relies on the DNS.
 - ◆ Users specify hostnames.
 - ◆ IPsec operates at the IP layer, where IP addresses are used.
 - ◆ An attacker could try to subvert the mapping.
- DNSSEC may not meet some organizational security standards.
- DNSSEC — which isn't deployed yet, either — uses its own certificates, not X.509.

Implementation Issues

- IPSec
- What is IPsec, and Why?
- History
- IPsec Structure
- Packet Layout
- Authentication Header (AH)
- AH Layout
- Encapsulating Security Payload (ESP)
- ESP Layout
- Topologies
- Paths
- Uses for IPsec
- IPsec and Firewalls
- IPsec and the DNS Implementation Issues
- Key Management Requirements**
- Internet Key Exchange (IKE)
- Some Attacks

- How do applications request cryptographic protection? How do they verify its existence?
- How do administrators mandate cryptography between host or network pairs?
- We need to resolve authorization issues.

- IPSec
- Key Management Requirements**
- Why Key Management?
- Static Keys
- Replay Protection
- SA Management
- Other Issues
- Internet Key Exchange (IKE)
- Some Attacks

Key Management Requirements

Why Key Management?

- IPSec
- Key Management Requirements
- Why Key Management?
- Static Keys
- Replay Protection
- SA Management
- Other Issues
- Internet Key Exchange (IKE)
- Some Attacks

- Where do IPsec keys come from?
- Could we use static keys?
- What are the other requirements for key management?

Static Keys

- IPSec
- Key Management Requirements
- Why Key Management?
- Static Keys
- Replay Protection
- SA Management
- Other Issues
- Internet Key Exchange (IKE)
- Some Attacks

- In theory, static keys can be used; in practice, they have several disadvantages
- Primary disadvantage: they almost certainly will not be random enough
- (If they're passwords, attackers can launch a password guessing attack)
- History (and theory) suggest that it's a bad idea to encrypt too much plaintext with a single key
- You can't use replay protection with static keys

Replay Protection

- IPSec
- Key Management Requirements
- Why Key Management?
- Static Keys
- Replay Protection
- SA Management
- Other Issues
- Internet Key Exchange (IKE)
- Some Attacks

- The first packet transmitted on an SA *must* be numbered 1
- Any time a machine reboots and loses knowledge of its sequence number status, it will restart from 1
- Besides, 2^{32} packets isn't that many; it *will* wrap around at some point
- replays can be used to attack confidentiality

SA Management

- IPSec
- Key Management Requirements
- Why Key Management?
- Static Keys
- Replay Protection
- SA Management
- Other Issues
- Internet Key Exchange (IKE)
- Some Attacks

- We spoke of the SADB
- How does it get populated?
- We must negotiate it!

Other Issues

- IPSec
- Key Management Requirements
- Why Key Management?
- Static Keys
- Replay Protection
- SA Management
- Other Issues**
- Internet Key Exchange (IKE)
- Some Attacks

- SA lifetime
- Dead peer detection
- SA tear-down
- Algorithm negotiation
- Other negotiations

Internet Key Exchange (IKE)

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)**
- IKE
- Basic Philosophy
- Initial Exchange
- What Do We Have?
- Authentication
- What Do We Have?
- Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service
- Defenses
- Using IKE
- Some Attacks

IKE

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE**
- Basic Philosophy
- Initial Exchange
- What Do We Have?
- Authentication
- What Do We Have?
- Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service
- Defenses
- Using IKE
- Some Attacks

- Very complex protocol
- Does a lot, probably too much
- We'll just skim the surface, and we'll discuss IKEv2, which is simpler
- I'll be simplifying it, too...

Basic Philosophy

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy**
- Initial Exchange
- What Do We Have?
- Authentication
- What Do We Have?
- Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service
- Defenses
- Using IKE
- Some Attacks

- Two parties, *Initiator* and *Responder*
- First set up a *control SA* (known in IKEv1 as a *Phase 1 SA*)
- Use the control SA to create *child SAs* (known as *Phase 2 SAs*)
- Actual IPsec data is protected via child SAs
- Other control traffic can use the control SA

Initial Exchange

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy
- Initial Exchange**
- What Do We Have?
- Authentication
- What Do We Have?
- Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service
- Defenses
- Using IKE

- (Each message includes a random SPI, to distinguish between different IKE sessions.)
- Negotiate cryptographic algorithms
- Do a Diffie-Hellman exchange

$$I \rightarrow R : SA_i1, KE_i, N_i$$

$$R \rightarrow I : SA_r1, KE_r, N_r, [Certreq]$$

SA Crypto algorithm proposals and answer
 KE Diffie-Hellman exponential
 N Nonce (random number)
 Certreq List of trust anchors (CAs)

What Do We Have?

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy
- Initial Exchange
- What Do We Have?**
- Authentication
- What Do We Have?
- Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service
- Defenses
- Using IKE
- Some Attacks

- I has proposed several algorithms; R has accepted one of each category
- The two sides have a Diffie-Hellman shared secret. The Diffie-Hellman shared secret is combined with the two nonces to produce *seed keying material*. Any message M protected by keying material derived from this will be written M
- Different keys are used in each direction
- I knows what CAs R trusts
- Neither side knows the other's identity yet

Authentication

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy
- Initial Exchange
- What Do We Have?
- Authentication**
- What Do We Have?
- Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service
- Defenses
- Using IKE
- Some Attacks

$$I \rightarrow R : ID_i, SA_i2, TS_i, TS_r, [Cert], Auth$$

$$R \rightarrow I : ID_r, SA_r2, TS_i, TS_r, Auth$$

Both sides send their own identities, the SA data for subsequent exchanges, *traffic selectors*, and an *authenticator*.

The authenticator is either an HMAC or a digital signature of the message (including the SPI) concatenated with the current sender's identity and the other party's nonce.

There are various other optional payloads for certificates, CAs, etc.

What Do We Have?

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy
- Initial Exchange
- What Do We Have?
- Authentication
- What Do We Have?**
- Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service
- Defenses
- Using IKE
- Some Attacks

- Both sides know the other's identity
- Both sides have authenticated the other
- Both sides have shared seed key material
- I has proposed a traffic selector; R has accepted a possibly-narrower one

Traffic Selectors

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy
- Initial Exchange
- What Do We Have? Authentication
- What Do We Have? Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service Defenses
- Using IKE
- Some Attacks

- A *traffic selector* is a list of IP addresses and port numbers that are to be protected by the SA
- TS_i specifies source addresses and ports; TS_r specifies destination addresses and ports
- I proposes a certain range of traffic it wishes to protect
- R may agree to a narrower range
- This lets I — possibly a laptop — have a simple, “protect everything” configuration; the central gateway can narrow the scope of protection if desired

Rekeying

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy
- Initial Exchange
- What Do We Have? Authentication
- What Do We Have? Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service Defenses
- Using IKE
- Some Attacks

- Any SA can be rekeyed
- To rekey an SA, send a Rekey message with an SA identifier, new nonces, and perhaps new Diffie-Hellman exponentials
- Omit traffic selectors

Child SAs

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy
- Initial Exchange
- What Do We Have? Authentication
- What Do We Have? Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service Defenses
- Using IKE
- Some Attacks

- The control SA can now be used to create child SAs for actual user traffic

$$I \rightarrow R : SA, N_i, [KE_i], [TS_i, TS_r]$$

$$R \rightarrow I : SA, N_r, [KE_r], [TS_i, TS_r]$$

- Send new nonces for use in calculating keying material. For greater forward secrecy, send an optional new Diffie-Hellman exponential.
- Optionally negotiate new traffic selectors

SA Lifetime

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
- Basic Philosophy
- Initial Exchange
- What Do We Have? Authentication
- What Do We Have? Traffic Selectors
- Child SAs
- Rekeying
- SA Lifetime
- Other Control Messages
- Timeouts
- Denial of Service Defenses
- Using IKE
- Some Attacks

- SAs do not have negotiated lifetimes
- When either side thinks an SA has been around for long enough, it negotiates a new SA
- Net effect: SA lifetime is the shorter of the two sides' preferences
- *After* the new one is set up, delete the old SA

Other Control Messages

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
 - Basic Philosophy
 - Initial Exchange
 - What Do We Have?
 - Authentication
 - What Do We Have?
 - Traffic Selectors
 - Child SAs
 - Rekeying
 - SA Lifetime
 - Other Control Messages
 - Timeouts
 - Denial of Service
 - Defenses
 - Using IKE
- Some Attacks

- IKE “ping” — see if the other side is still alive
- Delete SA
- Obtain a remote IP address
- Check version information
- Error messages

Timeouts

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
 - Basic Philosophy
 - Initial Exchange
 - What Do We Have?
 - Authentication
 - What Do We Have?
 - Traffic Selectors
 - Child SAs
 - Rekeying
 - SA Lifetime
 - Other Control Messages
 - Timeouts
 - Denial of Service
 - Defenses
 - Using IKE
- Some Attacks

- IKE runs over UDP
- Each side must therefore implement its own timers and retransmissions
- It’s reasonable to keep a cache of recently-received and -transmitted messages — when a duplicate request arrives, retransmit the cached copy

Denial of Service

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
 - Basic Philosophy
 - Initial Exchange
 - What Do We Have?
 - Authentication
 - What Do We Have?
 - Traffic Selectors
 - Child SAs
 - Rekeying
 - SA Lifetime
 - Other Control Messages
 - Timeouts
 - Denial of Service
 - Defenses
 - Using IKE
- Some Attacks

- What if an attacker attempts to exhaust R’s CPU time or memory?
- CPU time: force it to calculate many D-H exponentials
- Memory: create initial SAs; don’t authenticate them

Defenses

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
 - Basic Philosophy
 - Initial Exchange
 - What Do We Have?
 - Authentication
 - What Do We Have?
 - Traffic Selectors
 - Child SAs
 - Rekeying
 - SA Lifetime
 - Other Control Messages
 - Timeouts
 - Denial of Service
 - Defenses
 - Using IKE
- Some Attacks

- To prevent CPU time attacks, it’s permissible to reuse D-H exponentials for a short while (though it hurts perfect forward secrecy)
- To prevent memory attacks, watch for too many incomplete SAs
- When these start to occur, reject new requests and send a *cookie* instead
- These are stateless, cryptographically sealed messages bound to the sender’s IP address
- Require that such a cookie be returned with the actual first message
- Guards against spoofed IP address attacks

Using IKE

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- IKE
 - Basic Philosophy
 - Initial Exchange
 - What Do We Have?
 - Authentication
 - What Do We Have?
 - Traffic Selectors
 - Child SAs
 - Rekeying
 - SA Lifetime
 - Other Control
 - Messages
 - Timeouts
 - Denial of Service
 - Defenses
 - Using IKE
 - Some Attacks

- A host is configured with an initial protection SPD
- When a packet is to be sent that matches the SPD, IPsec searches for an existing SA
- If there is none, a request is sent to the local IKE daemon
- The IKE daemon attempts to create an SA, and updates the SAD
- (On some systems, this may result in updating the SPD)
- The packet is then transmitted

Attacks!

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks
 - Attacks!
 - Splicing Attack
 - Defenses
 - Using a Separate SA?
 - Probable Plaintext Attacks
 - Defenses

- I keep talking about subtle attacks
- Let's look at some old ones...

Some Attacks

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks
 - Attacks!
 - Splicing Attack
 - Defenses
 - Using a Separate SA?
 - Probable Plaintext Attacks
 - Defenses

Splicing Attack

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks
 - Attacks!
 - Splicing Attack
 - Defenses
 - Using a Separate SA?
 - Probable Plaintext Attacks
 - Defenses

- Suppose that (a) ESP is being used with no authentication, (b) no sequence numbers, and (c) the good guy and the bad guy can send traffic on the same SA
- The bad guy intercepts a good guy's packet, sends a UDP packet with checksums turned off, and intercepts it, too
- The attacker then uses CBC splicing to replace the end of the UDP packet with the good guy's packet, and reinjects it
- The receiving IPsec sees this packet, decrypts it, and passes it to the bad guy's UDP listener

Defenses

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks
- Attacks!
- Splicing Attack
- Defenses**
- Using a Separate SA?
- Probable Plaintext Attacks
- Defenses

- Use ESP authentication
- Use ESP sequence numbers, to prevent reinjection of the UDP packet (though there are other variants that make that less useful)
- Use a separate SA for each connection

Using a Separate SA?

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks
- Attacks!
- Splicing Attack
- Defenses
- Using a Separate SA?**
- Probable Plaintext Attacks
- Defenses

- If you use separate SAs for each connection, it makes life easier for traffic analysts
- It can also aid cryptanalysts

Probable Plaintext Attacks

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks
- Attacks!
- Splicing Attack
- Defenses
- Using a Separate SA?
- Probable Plaintext Attacks**
- Defenses

- How does a cryptanalyst know if a guess at the key was correct?
- What should the packet look like?
- Compare certain fields from two packets for the same connection — they should match
- Source and destination IP address must match exactly
- Probabilistically, most bits of counters (such as TCP sequence numbers) will match: if you add 512 to a 32-bit number, probability is .97 that the high-order 18 bits remain unchanged, and the low-order 9 bits are always unchanged
- Other fields can be matched as well

Defenses

- IPSec
- Key Management Requirements
- Internet Key Exchange (IKE)
- Some Attacks
- Attacks!
- Splicing Attack
- Defenses
- Using a Separate SA?
- Probable Plaintext Attacks
- Defenses**

- Not easy!
- Try avoiding per-connection SAs
- Don't use ciphers that are weak enough that this is a useful attack. . .