

Network Security - ISA 656

Voice Over IP (VoIP)

Security

Angelos Stavrou

October 11, 2008

What is SIP?

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP Complexity

Basic SIP Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- Session Initiation Protocol
- Control channel for Voice over IP
- (Other control channel protocols exist, notably H.323 and Skype's, but we'll focus on SIP)

What's a Control Channel?

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP

Complexity

Basic SIP

Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- A control channel — known in the telephone world as a *signaling channel* — does call setup
- It locates the other end point, determines if it's available, asks the endpoint to alert the called party, passes back status to the caller, etc.
- Even in a pure IP world, we need a signaling channel; when connecting to the PSTN (Public Switched Telephone Network), it's essential

History of Signaling Channels

SIP and VoIP

What is SIP?

What's a Control
Channel?

History of Signaling
Channels

Signaling and VoIP

Complexity

Basic SIP

Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- Telephone signaling was once done “in-band” — that is, the pulses or tones were sent over the same circuit as would later be used to carry the voice traffic for that call
- “Blue boxes” — telephone fraud devices — worked by simulating some of the control tones used to set up free calls
- The solution was to move signaling to a separate, “out-of-band” data network, known today as CCIS (Common Channel Interoffice Signaling)
- Out-of-band signaling is *more* efficient; it allows easy creation of fancier services

Signaling and VoIP

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP

Complexity

Basic SIP

Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- Why can't we just call a domain name or IP address?
- Many endpoints don't have stable, easily-memorized domain names
- IP addresses change frequently, especially for dial-up and hotspot users
- There are other complexities

Complexity

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP

Complexity

Basic SIP

Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- PSTN interconnection: very many endpoints have just a few IP addresses
- Besides, someone has to pay for the PSTN interconnection
- Firewalls
- Network address translators (NATs)
- Mapping between “phone number” and IP address
- Business arrangements between telephone companies
- Unreachable hosts
- Fancy phone features

Basic SIP Architecture

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP

Complexity

Basic SIP Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- SIP endpoints speak IP
- Ideally, the actual conversation would be end-to-end, from one SIP phone to the other
- Each node can use a SIP proxy for call setup

Simple SIP Calling

SIP and VoIP

- What is SIP?
- What's a Control Channel?
- History of Signaling Channels
- Signaling and VoIP
- Complexity
- Basic SIP Architecture


Simple SIP Calling

- Alice Calls Bob
- Firewalls and NATs
- SIP URIs
- Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios



Alice Calls Bob

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP

Complexity

Basic SIP

Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- Alice uses VoIP Provider 1 (VP1) as her proxy; Bob uses VoIP Provider 2 (VP2) as his
- To call Bob, Alice sends a *SIP URI* to VP1 via TCP
- VP1 determines that the URI points to VP2, so the calls setup request is relayed there via TCP
- VP2 tells Bob about the call via TCP; if he wants to, he can accept it
- Notification is sent back to Alice via VP1
- Alice establishes a direct UDP data connection to Bob for the voice traffic

Firewalls and NATs

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP

Complexity

Basic SIP

Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- If Alice or Bob are behind firewalls or NATs, they may not be able to set up end-to-end data connections
- In that case, the data traffic for one or both parties will also flow through the proxy

SIP URIs

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP

Complexity

Basic SIP

Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- How is a SIP URI converted to a SIP proxy address?
- What about ordinary telephone numbers?
- tel: URIs are used for ordinary phone numbers
- All SIP URIs are converted by means of DNS magic: NAPTR records
- (For this class, the details aren't important — the essential point is that by means of repeated, complex DNS lookups, any SIP URI is converted to an IP address)

Multiple Proxies

SIP and VoIP

What is SIP?

What's a Control Channel?

History of Signaling Channels

Signaling and VoIP

Complexity

Basic SIP

Architecture

Simple SIP Calling

Alice Calls Bob

Firewalls and NATs

SIP URIs

Multiple Proxies

Attacking SIP

Defenses

Complex Scenarios

- Sometimes, VP1 will talk to VP3 which will route the call to VP2
- VP1 and VP2 don't know (or trust) each other; they only know VP3 (and VP4 and VP5 and ...)
- How can they establish a trust relationship? What if money is involved? Can VP2 believe that VP1 will pay?

The Usual Questions

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party

Information

Billing Information

Eavesdropping on a

Link

Eavesdropping on a

Call

Registration

Hijacking

Tearing Down

Sessions

Abusing the DNS

Caller/Called Party

Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- What are we trying to protect?
- Against whom?

Information at Risk

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party
Information

Billing Information

Eavesdropping on a
Link

Eavesdropping on a
Call

Registration

Hijacking

Tearing Down

Sessions

Abusing the DNS

Caller/Called Party
Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Voice content itself
- Caller and called party for each connection
- Billing information

Voice Content

SIP and VoIP

Attacking SIP

The Usual Questions
Information at Risk

Voice Content

Caller/Called Party
Information

Billing Information
Eavesdropping on a
Link

Eavesdropping on a
Call

Registration
Hijacking

Tearing Down
Sessions

Abusing the DNS

Caller/Called Party
Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Confidentiality is the main concern
- Is VoIP easier to wiretap than traditional phone service?
- *Only* the endpoints should see that information; can be encrypted through proxies
- Relatively hard to spoof a voice in real-time, so authenticity is not a major concern

Caller/Called Party Information

SIP and VoIP

Attacking SIP

The Usual Questions
Information at Risk

Voice Content

Caller/Called Party
Information

Billing Information

Eavesdropping on a
Link

Eavesdropping on a
Call

Registration

Hijacking

Tearing Down
Sessions

Abusing the DNS

Caller/Called Party
Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Of great interest to many parties (look at the HP case — that's the data HP was after)
- Useful even after the call (you can't intercept a call after it's over; you can look at who talked)
- Must be kept confidential — but proxies need to see it, to route the call
- Must be authentic, or the call could be misrouted maliciously

Billing Information

SIP and VoIP

Attacking SIP

The Usual Questions
Information at Risk

Voice Content
Caller/Called Party
Information

Billing Information

Eavesdropping on a
Link

Eavesdropping on a
Call

Registration
Hijacking

Tearing Down
Sessions

Abusing the DNS
Caller/Called Party
Information

Hacking the Proxies
IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Derived in part from caller/called party information
- May have other information from call routing process
- As before, must be confidential — but there's no need for other parties to see any of it
- Integrity failures can lead to billing errors, in either direction
- (Often a major privacy concern after the fact — again, consider the HP case.)

Eavesdropping on a Link

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party

Information

Billing Information

Eavesdropping on a
Link

Eavesdropping on a
Call

Registration

Hijacking

Tearing Down

Sessions

Abusing the DNS

Caller/Called Party

Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- How can someone eavesdrop on a SIP call?
- Many ways, including things like listening at a WiFi hotspot
- We'll discuss other ways later in the semester
- For now, let's just assume it's possible

Eavesdropping on a Call

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party
Information

Billing Information

Eavesdropping on a
Link

Eavesdropping on a
Call

Registration

Hijacking

Tearing Down
Sessions

Abusing the DNS

Caller/Called Party
Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Simplest approach: listen on some link
- Which link is best for targeting a given person?
- Easiest: their access link
- What if they're mobile? Hard — they could be coming from anywhere
- Do you have the physical ability to listen on the VoIP provider's links? What if the VoIP provider is in a distant, unfriendly country?

Registration Hijacking

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party

Information

Billing Information

Eavesdropping on a

Link

Eavesdropping on a

Call

Registration
Hijacking

Tearing Down

Sessions

Abusing the DNS

Caller/Called Party

Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- An attacker can try to register with VP2 as Bob
- If the attacker succeeds, all calls destined for Bob will be routed to the attacker

Tearing Down Sessions

- Another false registration attack: tear down calls
- This is a violation of availability

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party

Information

Billing Information

Eavesdropping on a

Link

Eavesdropping on a

Call

Registration

Hijacking

**Tearing Down
Sessions**

Abusing the DNS

Caller/Called Party

Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

Abusing the DNS

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party

Information

Billing Information

Eavesdropping on a

Link

Eavesdropping on a

Call

Registration

Hijacking

Tearing Down

Sessions

Abusing the DNS

Caller/Called Party

Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Call routing is partially controlled by the DNS
- Is it possible to corrupt the DNS answers?
- Under certain circumstances, it's not that hard to do (more details later in the semester)
- By creating fake DNS entries, it's possible to reroute the call to go via an intercept station

Caller/Called Party Information

SIP and VoIP

Attacking SIP

The Usual Questions
Information at Risk

Voice Content
Caller/Called Party
Information

Billing Information
Eavesdropping on a
Link

Eavesdropping on a
Call

Registration
Hijacking

Tearing Down
Sessions

Abusing the DNS

Caller/Called Party
Information

Hacking the Proxies
IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Again, link eavesdropping and DNS attacks are straightforward
- The task is easier here; proxies (usually) don't move around
- VoIP providers are high-value targets, since they process many calls

Hacking the Proxies

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party
Information

Billing Information

Eavesdropping on a
Link

Eavesdropping on a
Call

Registration

Hijacking

Tearing Down
Sessions

Abusing the DNS

Caller/Called Party
Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Is it possible to hack the VoIP proxy servers?
- Sure — why not?
- Conventional phone switches can be (and some are) hacked, but there's a big difference: the attacker can speak a much more complex protocol to a SIP switch than to a PSTN switch, which means they're more vulnerable
- It's hard to do too much damage with just a few touch-tones!
- Aside: fancier services are easier to hack, on both kinds of telephone systems

IP Addresses

SIP and VoIP

Attacking SIP

The Usual Questions
Information at Risk

Voice Content
Caller/Called Party
Information

Billing Information
Eavesdropping on a
Link

Eavesdropping on a
Call

Registration

Hijacking

Tearing Down
Sessions

Abusing the DNS

Caller/Called Party
Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- It's hard to hide IP addresses
- The legitimate recipient sees the sender's source IP address; this leaks location data
- Routing the voice traffic via a proxy can thus be a privacy feature

Billing Systems

SIP and VoIP

Attacking SIP

The Usual Questions

Information at Risk

Voice Content

Caller/Called Party

Information

Billing Information

Eavesdropping on a
Link

Eavesdropping on a
Call

Registration

Hijacking

Tearing Down

Sessions

Abusing the DNS

Caller/Called Party
Information

Hacking the Proxies

IP Addresses

Billing Systems

Defenses

Complex Scenarios

- Similar in nature to old-style ones
- SIP billing systems are more likely to be Internet-connected
- Must use strong defenses and firewalls to protect them

Protecting SIP

SIP and VoIP

Attacking SIP

Defenses

Protecting SIP

Alice to VP1

Using IPsec

Proxy to Proxy
Traffic

End-to-End

Signaling Traffic

Key Management
for the Voice Call

Complex Scenarios

- As usual, we'll use crypto to guard against eavesdropping
- The details, though, are tricky

Alice to VP1

SIP and VoIP

Attacking SIP

Defenses

Protecting SIP

Alice to VP1

Using IPsec

Proxy to Proxy
Traffic

End-to-End
Signaling Traffic

Key Management
for the Voice Call

Complex Scenarios

- Alice has a trust relationship with her proxy
- Authentication is relatively easy
- Usually, TLS is used to protect the TCP session to the proxy
- Alice *must* verify VP1's certificate
- Alice can use passwords or client-side certificates to authenticate herself

Using IPsec

SIP and VoIP

Attacking SIP

Defenses

Protecting SIP

Alice to VP1

Using IPsec

Proxy to Proxy
Traffic

End-to-End

Signaling Traffic

Key Management
for the Voice Call

Complex Scenarios

- IPsec is normally difficult to use to protect specific services
- However, if there is an organizational SIP gateway, it might be possible to protect all traffic from the organization to the gateway

Proxy to Proxy Traffic

SIP and VoIP

Attacking SIP

Defenses

Protecting SIP

Alice to VP1

Using IPsec

Proxy to Proxy
Traffic

End-to-End

Signaling Traffic

Key Management
for the Voice Call

Complex Scenarios

- VP1 may not have a trust relationship with VP2
- How can VP1 get VP2's certificate?
- More precisely, how can VP1 validate it, if they don't share a trust anchor?
- This applies regardless of what security protocol is used (though TLS is the norm)

End-to-End Signaling Traffic

SIP and VoIP

Attacking SIP

Defenses

Protecting SIP

Alice to VP1

Using IPsec

Proxy to Proxy
Traffic

End-to-End
Signaling Traffic

Key Management
for the Voice Call

Complex Scenarios

- Some signaling traffic must be secure end-to-end
- Example: Bob needs to know, authoritatively, that it's Alice who has called him
- However, the intermediate nodes need to see this
- Solution: digitally sign the data (using S/MIME), but don't encrypt it

Key Management for the Voice Call

SIP and VoIP

Attacking SIP

Defenses

Protecting SIP

Alice to VP1

Using IPsec

Proxy to Proxy
Traffic

End-to-End

Signaling Traffic

Key Management
for the Voice Call

Complex Scenarios

- How do Alice and Bob get a shared key for voice traffic encryption?
- Alice uses S/MIME to send Bob an encrypted traffic key
- But — how does Alice get Bob's certificate?
- There is no general PKI for SIP users
- True end-to-end confidentiality can only happen by pre-arrangement
- (This statement is more generally true...)

Complex Features

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A

Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network

Design

CallerID and VoIP

The State of

Practice

- As always, complexity causes problems
- The specific issue here is complex trust patterns
- Let's look at some extra features and see how they cause trouble

Scenario: A Secretary

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A
Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network

Design

CallerID and VoIP

The State of

Practice

- Alice tries to call Carol; she reaches Bob, Carol's secretary
- Bob decides the call is worthy of Carol's attention, and wishes to transfer the call to Carol
- Bob's phone sends Alice's phone a message saying "Call Carol, you're authorized"
- Carol's phone has to verify that Bob authorized it

The First Attempt

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A

Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network

Design

CallerID and VoIP

The State of

Practice

- Bob prepares an *authenticated identity body* (AIB) with his name and the time
- He sends that to Alice along with Carol's SIP URI
- Alice presents the AIB to Carol
- What's wrong?

Oops!

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A

Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network

Design

CallerID and VoIP

The State of

Practice

- Nothing linked the AIB to this referral
- Alice can give the AIB to someone else
- At least there's a timestamp to protect against replays

Solution

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A

Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network

Design

CallerID and VoIP

The State of

Practice

- The AIB sent by Bob needs to include Alice's identity
- Carol's phone needs to check the certificate used in Alice's call setup message, to verify that it's really from Alice
- In particular, Alice's identity in the AIB must match the identity in the certificate

CallerID

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A

Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network

Design

CallerID and VoIP

The State of

Practice

- Suppose the SIP call is being relayed to the PSTN
- Where does the CallerID information come from?
- Can it be spoofed?

Phone Network Design

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A

Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network
Design

CallerID and VoIP

The State of

Practice

- The phone network was based on trust — only “real” telephone companies had phone switches
- No authentication was done on information from other switches, including CallerID
- Today, anyone can run a phone switch...

CallerID and VoIP

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A

Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network

Design

CallerID and VoIP

The State of

Practice

- Run Asterisk, an open source PBX program, on some machine
- Get a leased line to a VoIP-to-PSTN gateway company
- Configure Asterisk to send whatever information you want...
- This abuse is happening now; see http://www.boston.com/news/globe/magazine/articles/2006/09/24/phony_identification/

The State of Practice

SIP and VoIP

Attacking SIP

Defenses

Complex Scenarios

Complex Features

Scenario: A

Secretary

The First Attempt

Oops!

Solution

CallerID

Phone Network

Design

CallerID and VoIP

The State of
Practice

- Most vendors don't implement the fancy crypto
- VoIP is thus not as secure as it could be (but Skype does do a lot of crypto)
- Beyond that, SIP phones tend to boot themselves over the network — is that connection secure?
- NIST recommends great care in using VoIP — see <http://csrc.nist.gov/publications/nistpubs/800-58/SP800-58-final.pdf>