Geosemantic Snapping for Sketch-Based Modeling

Alex Shtof



Tel Aviv University

Alexander Agathos VI



West University of Timişoara

Yotam Gingold MASON George Mason University






Ariel Shamir The Interdisciplinary Center, Herzliya

Daniel Cohen-Or





Tel Aviv University


3D Modeling





Sketches























Segmentation Recognition Positioning





An automatic solution entails solving a complex, non-convex optimization problem with many local minima.

Interactive Approach




Our Solution

Separate the problem into semantic and geometric tasks.



semantic: interpreting the sketch's individual strokes and parts



geometric: fitting and reconstructing precise geometry

Image-Based Modeling

- · [Gingold et al. 2009]
- · [Lau et al. 2010]
- · [Tsang et al. 2004]
- · [Xu et al. 2011]
- · [Debevec et al. 1996]
- · [Sinha et al. 2008]
- · [van den Hengel 2007]

Primitives and Constraints

- · [Sutherland 1963]
- · [Igarashi 1998]
- · [Li et al. 2011]
- · [Zeleznik et al. 1996]
- · [Pereira et al. 2003]

Sketch-Based Modeling

- · [Igarashi et al. 1999]
- · [Pugh 1991]
- · [Eggli et al. 1997]
- · [Bae et al. 2008]
- · [Schmidt et al. 2009]
- · [Lipson and Shpitalni 1996]
- · [Shesh and Chen 2004]
- · [Chen et al. 2008]
- · [Ouyang and David 2011]
- · [LaViola and Zeleznik 2004]

Image-Based Modeling



Primitives and Constraints

- · [Sutherland 1963]
- · [Igarashi 1998]
- · [Li et al. 2011]
- · [Zeleznik et al. 1996]
- · [Pereira et al. 2003]


Sketch-Based Modeling

- · [Igarashi et al. 1999]
- · [Pugh 1991]
- · [Eggli et al. 1997]
- · [Bae et al. 2008]
- · [Schmidt et al. 2009]
- · [Lipson and Shpitalni 1996]
- · [Shesh and Chen 2004]
- · [Chen et al. 2008]
- · [Ouyang and David 2011]
- · [LaViola and Zeleznik 2004]

Image-Based Modeling



Primitives and Constraints




Sketch-Based Modeling

- · [Igarashi et al. 1999]
- · [Pugh 1991]
- · [Eggli et al. 1997]
- · [Bae et al. 2008]
- · [Schmidt et al. 2009]
- · [Lipson and Shpitalni 1996]
- · [Shesh and Chen 2004]
- · [Chen et al. 2008]
- · [Ouyang and David 2011]
- · [LaViola and Zeleznik 2004]


Image-Based Modeling



Primitives and Constraints




Sketch-Based Modeling




[Bae et al. 2009]


Overview




Primitives




Primitives: Feature Curves




Primitives: Feature Curves




Primitives: Silhouette Curves




Primitives: Silhouette Curves




Tagging




Tagging





Tagging





Drag-and-Drop






































Anatomy of a Drag: Primitive Fitting



Anatomy of a Drag: Primitive Fitting




Anatomy of a Drag: Primitive Fitting




 $min: \phi_p(x_p)$ $s.t.: C_p(x_p) = 0$


Anatomy of a Drag: Primitive Fitting




Anatomy of a Drag: Primitive Fitting



Anatomy of a Drag: Primitive Fitting



Anatomy of a Drag: Geosemantic Relations




Anatomy of a Drag: Geosemantic Relations

$$min: \sum_{p \in P} \phi_p(x_p)$$


$$s.t.: C_p(x_p) = 0 \quad \forall p \in P$$

$$\psi_g(x_g) = 0 \quad \forall g \in G$$



Constraints linking two or more feature curves:


· Parallelism




Constraints linking two or more feature curves:

· Parallelism


Orthogonality




- · Parallelism
- Orthogonality
- · Collinear centers (three or more)




- · Parallelism
- Orthogonality
- · Collinear centers (three or more)
- · Concentric




- · Parallelism
- Orthogonality
- · Collinear centers (three or more)
- Concentric
- · Coplanar





Results















10 users (5 female/5 male)


20 minute tutorial



10 users (5 female/5 male)

20 minute tutorial

Tagging took less than a minute (on average)




10 users (5 female/5 male)

20 minute tutorial

Tagging took less than a minute (on average)

Drag-and-drop modeling took (average and median):




10 users (5 female/5 male)

20 minute tutorial

Tagging took less than a minute (on average)

Drag-and-drop modeling took (average and median):




10 users (5 female/5 male)

20 minute tutorial

Tagging took less than a minute (on average)


Drag-and-drop modeling took (average and median):



More primitives



Operate directly on raster sketches




Eliminate sketch curve classification

More primitives




Operate directly on raster sketches



Eliminate sketch curve classification

Sketched occlusions

More geosemantic relations



We have made a highly **non-convex** problem tractable by:

· Introducing an interactive solution.

- · Introducing an interactive solution.
- Separating that which is easy for a human and challenging for a computer.

- · Introducing an interactive solution.
- Separating that which is easy for a human and challenging for a computer.
- · Providing a good starting point via drag-and-drop.

- · Introducing an interactive solution.
- Separating that which is easy for a human and challenging for a computer.
- · Providing a good starting point via drag-and-drop.
- Providing a flexible collection of parameterized primitives.

- · Introducing an interactive solution.
- Separating that which is easy for a human and challenging for a computer.
- · Providing a good starting point via drag-and-drop.
- Providing a flexible collection of parameterized primitives.
- Inferring geosemantic relationships for aligning primitives and placing them in depth.

Thank you

Questions?

Code for our fast reverse-mode automatic differentiation is online: http://autodiff.codeplex.com/

This research was supported in part by the Israel Science Foundation (grant no. 324/11), Sloan Foundation, NSF (CAREER Award CCF-06-43268 and grants IIS-09-16129, IIS-10-48948, IIS-11-17257, CMMI-11-29917, IIS-09-16845), and generous gifts from Adobe, Autodesk, Intel, mental images, NVIDIA, Side Effects Software, and the Walt Disney Company.











Manual Tagging



Manual Tagging



Automatic Tagging

