

Intro to Software Testing

Chapter 6.1

Input Space Partition Testing

Brittany Johnson
SWE 437

Adapted from slides by Paul Ammann & Jeff Offutt

Benefits of ISP

Equally **applicable** at several levels of testing

- Unit
- Integration
- System

Easy to apply with **no automation**

Can **adjust** the procedure to get more or fewer tests

No **implementation knowledge** is needed

- Just the input space



Input Domains

Input domain: all possible inputs to a program

- Most input domains are effectively **infinite**

Input parameters define the input domain

- Parameter values to a method
- Data from a file
- Global variables
- User inputs

We **partition** input domains into **regions** (called *blocks*)

Choose at least **one value** from each block

Input domain: Alphabetic letters

Partitioning characteristic: Case of letter

- **Block 1:** upper case
- **Block 2:** lower case

Partitioning Domains


Domain D

Partition scheme q of D


The partition q defines a set of blocks, $Bq = b_1, b_2, \dots, b_q$

The partition must satisfy two **properties**:

1. Blocks must be **pairwise disjoint** (no overlap)



2. Together the blocks **cover** the domain D (complete)



In-class exercise

Partitioning for integers

Design a partitioning for all integers

That is, partition integers into blocks such that each block seems to be equivalent in terms of testing

Make sure your partition is valid:

- 1) Pairwise disjoint
- 2) Complete

Characteristics & Partitions

Example **characteristics**

- Whether X is null
- Order of the list F (sorted, inverse sorted, arbitrary, ...)
- Min separation of two aircraft
- Input device (DVD, CD, VCR, computer, ...)
- Hair color, height, major, age

Partition characteristic into blocks

- Each value in a block should be **equally useful** for testing

Choose a **value** from each block

Form tests by combining one value from each characteristic

Choosing Partitions

Defining **partitions** is not hard, but is easy to get wrong

Consider the characteristic "***order of elements in list F***"

Design blocks for that characteristic

b_1 = sorted in ascending order
 b_2 = sorted in descending order
 b_3 = arbitrary order

but ... something's fishy ...

Length 1 : [14]

Can you spot the problem?

This list is in all three blocks
That is, disjointness is not satisfied

Can you think of a solution?

Solution:

Two characteristics that address just one property

C1: List F sorted ascending
- c1.b1 = true
- c1.b2 = false
C2: List F sorted descending
- c2.b1 = true
- c2.b2 = false

In-class exercise

Creating an IDM

Pick one of the programs from Chapter 1 (findLast, numZero, etc)

Create an IDM for the program you chose

Modeling the Input Domain


Step 1: Identify testable functions

Step 2: Find all **inputs, parameters, & characteristics**

Step 3: Model the **input domain**

Step 4: Apply a test **criterion** to choose **combinations** of values (6.2)


Step 5: Refine combinations of blocks into **test inputs**



Move from imp level to design abstraction level



Entirely at the design abstraction level



Back to the implementation abstraction level

Steps 1 & 2

Identify testable functions

Find inputs, parameters, characteristics


Example IDM (syntax)

Method *triang()* from class *TriangleType* on the book website:

- <https://www.cs.gmu.edu/~offutt/softwaretest/java/Triangle.java>
- <https://www.cs.gmu.edu/~offutt/softwaretest/java/TriangleType.java>

```
public enum Triangle { Scalene, Isosceles, Equilateral, Invalid }  
public static Triangle triang (int Side1, int Side2, int Side3)  
// Side1, Side2, and Side3 represent the lengths of the sides of a  
triangle  
// Returns the appropriate enum value
```

- IDM for each parameter is identical
- Characteristic: *Relation of side with zero*
- Blocks: negative; positive; zero



Example IDM (behavior)

Method *triang()* again:


- <https://www.cs.gmu.edu/~offutt/softwaretest/java/Triangle.java>
- <https://www.cs.gmu.edu/~offutt/softwaretest/java/TriangleType.java>

Three parameters represent a *triangle*

The IDM can combine all parameters

Characteristic: *type of triangle*

Blocks: Scalene; Isosceles; Equilateral; Invalid



In-class exercise

Functions, parameters, and characteristics

```
public boolean findElement (List list, Object element)
// Effects: if list or element is null throw NullPointerException
//           else return true if element is in the list, false
//           otherwise
```

Identify functionalities, parameters, and characteristics for
findElement()

Steps 1 & 2 – IDM

```
public boolean findElement (List list, Object element)
// Effects: if list or element is null throw NullPointerException
// else return true if element is in the list, false otherwise
```

Parameters and Characteristics

Two parameters : **list**, **element**

Characteristics based on syntax :

list is null (block1 = true, block2 = false)

list is empty (block1 = true, block2 = false)

Characteristics based on behavior :

number of occurrences of **element** in list

(0, 1, >1)

element occurs **first** in list

(true, false)

element occurs **last** in list

(true, false)

Step 3

Model input domain

Partition characteristics into blocks

Choose values for blocks

triang(): Relation of side with zero

3 inputs, each has the same partitioning

Characteristic	b_1	b_2	b_3
$q_1 = \text{"Relation of Side 1 to 0"}$	positive	equal to 0	negative
$q_2 = \text{"Relation of Side 2 to 0"}$	positive	equal to 0	negative
$q_3 = \text{"Relation of Side 3 to 0"}$	positive	equal to 0	negative

Maximum of $3*3*3 = \mathbf{27}$ tests

Some triangles are **valid**, some are **invalid**

Refining the characterization can lead to more tests

Refining triang()'s IDM

Second characterization of triang()'s inputs

Characteristic	b_1	b_2	b_3	b_4
$q_1 = \text{"Refinement of } q_1\text{"}$	greater than 1	equal to 1	equal to 0	negative
$q_2 = \text{"Refinement of } q_2\text{"}$	greater than 1	equal to 1	equal to 0	negative
$q_3 = \text{"Refinement of } q_3\text{"}$	greater than 1	equal to 1	equal to 0	negative

Maximum of $4*4*4 = \mathbf{64}$ tests

Complete only because the inputs are integers

Characteristic	b_1	b_2	b_3	b_4
Side1	5	1	0	-5

Refining triang()'s IDM

Second characterization of triang()'s inputs

Characteristic	b_1	b_2	b_3	b_4
$q_1 = \text{"Refinement of } q_1\text{"}$	greater than 1	equal to 1	equal to 0	negative
$q_2 = \text{"Refinement of } q_2\text{"}$	greater than 1	equal to 1	equal to 0	negative
$q_3 = \text{"Refinement of } q_3\text{"}$	greater than 1	equal to 1	equal to 0	negative

Maximum of $4*4*4 = \mathbf{64}$ tests

Complete only because the inputs are integers

Characteristic	b_1	b_2	b_3	b_4
Side1	2	1	0	-1

Test boundary conditions

triang(): Type of triangle

Geometric characterization of *triang()*'s inputs

Characteristic	b_1	b_2	b_3	b_4
$q_1 = \text{"Geometric Classification"}$	scalene	isosceles	equilateral	invalid

What's wrong with this partitioning?

Equilateral can also be isosceles!




We need to **refine** the example to make characteristics valid

Correct geometric characterizations of *triang()*'s inputs

Characteristic	B_1	b_2	b_3	b_4
$q_1 = \text{"Geometric Classification"}$	scalene	Isosceles, not equilateral	equilateral	invalid

Values for triang()

Characteristic	b_1	b_2	b_3	b_4
Triangle	(4,5,6)	(3, 3, 4)	(3, 3, 3)	(3, 4, 8)



Yet another triang() IDM

A **different approach** would be to break the geometric characterization into four separate characteristics

Four characteristics for *triang()*

Characteristic	b ₁	b ₂
q ₁ = "Scalene"	True	False
q ₂ = "Isosceles"	True	False
q ₃ = "Equilateral"	True	False
q ₄ = "Valid"	True	False

Use **constraints** to ensure that

- **Equilateral = True** implies **Isosceles = True**
- **Valid = False** implies **Scalene = Isosceles = Equilateral = False**

IDM hints

More characteristics → more tests

More blocks → more tests

Do **not** use program source

Design **more characteristics** with **fewer blocks**

- Fewer mistakes
- Fewer tests

Choose **values** strategically

- valid, invalid, special values
- Explore boundaries
- Balance the number of blocks in the characteristics

Characteristic	b ₁	b ₂
q ₁ = "Scalene"	True	False
q ₂ = "Isosceles"	True	False
q ₃ = "Equilateral"	True	False
q ₄ = "Valid"	True	False

In-class exercise

Proper partitioning?

Which two properties must be satisfied for an input domain to be properly partitioned?