

THE C STANDARD LIBRARY & MAKING YOUR OWN LIBRARY

ISA 563: Fundamentals of Systems Programming

Overview: the Standard Library

- A language is:
 - ▣ The grammar of the language (keywords, operators, expressions, etc.)
 - ▣ The execution environment (e.g., an OS, JVM, CLR)
 - ▣ A library of supporting functions
- “Language design is library design.”
-- Bjarne Stroustrup
- Example: Java (very large object library and API)
- Hint: read the man pages for the C library functions!

What is a Library?



- A collection of functions with a common purpose
- The collection provides a well—defined standard interface or API to the library's core purpose:
 - I/O
 - Math
 - Graphics/GUI
 - Crypto
 - ...many others

Header Files



- Header files are C source files that hold the definition of functions and data structures
 - Header files end in “.h”
- The C standard library is composed of many header files as well as their corresponding implementation (i.e., .c) files
 - You know one already: `stdio.h`

Example: “Standard I/O”

- Basic C data types provide storage for data when it is “in” your program’s memory space
 - ▣ Collections of data: structs, arrays, unions (last lecture)
- What about feeding data into these variables and sending data to other programs or files on disk?
 - ▣ Streams or collections of bytes
 - ▣ Files

Basic Concepts of Unix Files

- No markup (contrast with NTFS files)
 - ▣ Every byte is addressable
- Access is byte by byte (char by char)
 - ▣ Can perform “random” access (cover this later)
 - ▣ Treat a file as a stream or sequence of bytes
- Everything in Unix is a file (in one form or another)
 - ▣ So file I/O is important in C programs
 - ▣ ...and so is having a robust, standard way of manipulating data in files!

C Programs and “Standard” Files



- Every C program is given 3 files automatically
 - Standard output (what you see on screen)
 - Standard input (usually attached to keyboard device)
 - Standard error (also usually on screen)

- But via the “magic” of Unix, can be easily redirected to or from other sources and sinks
 - Shell redirection
 - See ‘dup’ system call

Naming “Standard” Files

- The header file `<stdio.h>` defines three handles to these objects (of type `FILE`, a struct)
 - `Stdin`
 - `stdout`
 - `stderr`
- These are variable names you can use in any code that “includes” `stdio.h`

Interesting I/O Functions

- Char output: `putchar()`, `getchar()`, `putc()`, `getc()`
- String input/output: `fprintf()`, `fscanf()`
- File I/O:
 - ▣ `fopen()` / `fclose()`
 - ▣ `fread()` / `fwrite()`
- These are different from the OS system calls: `open`, `close`, `read`, `write`
 - ▣ They operate on C library *FILE* objects rather than OS-level *file descriptors*

The FILE Structure Abstraction



- A data type defined in `stdio.h`
- A struct named `FILE`
 - ▣ A common data type for use with most of the C I/O library functions
 - ▣ So **library design involves designing and defining appropriate data structures** as well as functions
- See page 176 in TCPL for the definition

Opening Files: Who Knows What?



- Key Idea: translate a file name to something the OS can manipulate
 - ▣ The C library steps in the way
- Concept stack
 - ▣ A filename: a character sequence humans understand
 - ▣ A FILE object: something your program (via `stdio.h`) understands
 - ▣ A file descriptor (an integer the OS uses to keep track of unique file handles)

Opening Files via stdio.h

```
//consult 'man fopen' for details!
```

```
#include <stdio.h>
```

```
//two arguments: 'file name' and 'mode'
```

```
FILE* fin = fopen("/tmp/name",  
                 "rb");
```

```
//now 'fin' represents a valid FILE object, right?
```

```
//wrong! ... need to test the result of fopen()!
```

```
if(NULL==fin){... //an error occurred, handle it
```

Contract vs. Implementation



- fopen's contract is:
 - ▣ Give me a valid file path and a mode (read, write, append, truncate, etc., see man page) AND I might return to you a valid pointer to a valid FILE object

- How does C library do all that?
 - ▣ It doesn't do it *all*. It asks the OS for help.

Contract vs. Implementation 2



- Many standard library functions employ a system call (some don't) to help accomplish the underlying task
- System calls define the OS's API
 - ▣ A collection of services the OS will provide to application programs
 - ▣ But can be tedious to use and set up
 - ▣ So C library is a higher level of abstraction

Contract vs. Implementation 3



- fopen employs the 'open()' system call

//see 'man 2 open'

```
int open(const char* pathname, int flags);
```



Other C Libraries

Character manipulation



- `#include <ctype.h>`
- `isascii(int), islower(int), isupper(int), isdigit(int)...`
- `tolower(int), toupper(int)...`

String Manipulation



- `#include <string.h>`
- Defines the symbol `NULL`
- Memory copy routines, the `strlen()` routine, string tokenization, some error output routines, ... more on those when we get to memory management

stdlib.h



- Collection of many utility functions
 - exit, abort, atoi, atof, system()
 - malloc, calloc, realloc, free (will talk about these in a later lecture, not now...)
 - getenv, putenv, setenv
 - rand, srand

errno.h

- Defines a list of standard error names (rather than keeping track of error numbers...)
- Defines the 'errno' integer variable
- 'perror()' from stdio.h is related (but in a different library)
- Get in the habit of testing errno's value!

math.h



- Defines common math symbols (pi, e, etc.)
- Defines values for representing limits of primitive types (INFINITY, NAN, etc.)
- Defines tan, cos, sin, exp, abs, floor, ceil, log, round, etc.



Create Your Own Library

Anyone Can Create a Library



- Just a collection of:
 - Contract definitions
 - Symbol and data type definitions
 - Function implementations

- Components:
 - Header files
 - Library binary (or source) files

Note: Library Interception

- Linking is not done until runtime
- Can dynamically replace function implementations
 - “DLL Injection”
 - “Library interposition”
- Unix: LD_PRELOAD environment variable
 - Affects search path for library function **implementation**