

# **Informed search algorithms**

## **Chapter 4**

1

## **Outline**

- ◇ Best-first search
- ◇ A\* search
- ◇ Heuristics
- ◇ Hill-climbing
- ◇ Simulated annealing

2

## Review: Tree search

```
function TREE-SEARCH(problem, fringe) returns a solution, or failure
  fringe ← INSERT(MAKE-NODE(INITIAL-STATE[problem]), fringe)
  loop do
    if fringe is empty then return failure
    node ← REMOVE-FRONT(fringe)
    if GOAL-TEST[problem] applied to STATE(node) succeeds return node
    fringe ← INSERTALL(EXPAND(node, problem), fringe)
```

A strategy is defined by picking the *order of node expansion*

3

## Best-first search

Idea: use an *evaluation function* for each node  
– estimate of “desirability”

⇒ Expand most desirable unexpanded node

**Implementation:**

*fringe* is a queue sorted in decreasing order of desirability


Special cases:

greedy search

A\* search

4

## Romania with step costs in km



5

## Greedy search

Evaluation function  $h(n)$  (heuristic)


= estimate of cost from  $n$  to the closest goal

E.g.,  $h_{SLD}(n)$  = straight-line distance from  $n$  to Bucharest

Greedy search expands the node that *appears* to be closest to goal


6

## Greedy search example




7

## Greedy search example




8

## Greedy search example



9

## Greedy search example



10

## Properties of greedy search

Complete??

11

## Properties of greedy search

Complete?? No—can get stuck in loops, e.g., with Oradea as goal,

Iasi → Neamt → Iasi → Neamt →

Complete in finite space with repeated-state checking

Time??

12

## Properties of greedy search

Complete?? No—can get stuck in loops, e.g.,

Iasi → Neamt → Iasi → Neamt →

Complete in finite space with repeated-state checking

Time??  $O(b^m)$ , but a good heuristic can give dramatic improvement

Space??

## Properties of greedy search

Complete?? No—can get stuck in loops, e.g.,

Iasi → Neamt → Iasi → Neamt →

Complete in finite space with repeated-state checking

Time??  $O(b^m)$ , but a good heuristic can give dramatic improvement

Space??  $O(b^m)$ —keeps all nodes in memory

Optimal??

## Properties of greedy search

Complete?? No—can get stuck in loops, e.g.,

Iasi  $\rightarrow$  Neamt  $\rightarrow$  Iasi  $\rightarrow$  Neamt  $\rightarrow$

Complete in finite space with repeated-state checking

Time??  $O(b^m)$ , but a good heuristic can give dramatic improvement

Space??  $O(b^m)$ —keeps all nodes in memory

Optimal?? No

## A\* search

Idea: avoid expanding paths that are already expensive

Evaluation function  $f(n) = g(n) + h(n)$

$g(n)$  = cost so far to reach  $n$

$h(n)$  = estimated cost to goal from  $n$

$f(n)$  = estimated total cost of path through  $n$  to goal

A\* search uses an *admissible* heuristic

i.e.,  $h(n) \leq h^*(n)$  where  $h^*(n)$  is the *true* cost from  $n$ .

(Also require  $h(n) \geq 0$ , so  $h(G) = 0$  for any goal  $G$ .)

E.g.,  $h_{\text{SLD}}(n)$  never overestimates the actual road distance

**Theorem:** A\* search is optimal




## A\* search example

▶ Arad  
 $366=0+366$


17

## A\* search example




18

## A\* search example




19

## A\* search example




20

## A\* search example



21


## A\* search example



22

## Optimality of A\* (standard proof)

Suppose some suboptimal goal  $G_2$  has been generated and is in the queue.  
Let  $n$  be an unexpanded node on a shortest path to an optimal goal  $G_1$ .



$$\begin{aligned}
 f(G_2) &= g(G_2) && \text{since } h(G_2) = 0 \\
 &> g(G_1) && \text{since } G_2 \text{ is suboptimal} \\
 &\geq f(n) && \text{since } h \text{ is admissible}
 \end{aligned}$$

Since  $f(G_2) > f(n)$ , A\* will never select  $G_2$  for expansion


23

## Optimality of A\* (more useful)

**Lemma:** A\* expands nodes in order of increasing  $f$  value\*

Gradually adds “ $f$ -contours” of nodes (cf. breadth-first adds layers)

Contour  $i$  has all nodes with  $f = f_i$ , where  $f_i < f_{i+1}$



24

## Properties of $A^*$

Complete??

25

## Properties of $A^*$

Complete?? Yes, unless there are infinitely many nodes with  $f \leq f(G)$

Time??

26

### Properties of A\*

Complete?? Yes, unless there are infinitely many nodes with  $f \leq f(G)$

Time?? Exponential in [relative error in  $h \times$  length of soln.]

Space??

27

### Properties of A\*

Complete?? Yes, unless there are infinitely many nodes with  $f \leq f(G)$

Time?? Exponential in [relative error in  $h \times$  length of soln.]

Space?? Keeps all nodes in memory

Optimal??

28

## Properties of A\*

Complete?? Yes, unless there are infinitely many nodes with  $f \leq f(G)$

Time?? Exponential in [relative error in  $h \times$  length of soln.]

Space?? Keeps all nodes in memory

Optimal?? Yes—cannot expand  $f_{i+1}$  until  $f_i$  is finished

A\* expands all nodes with  $f(n) < C^*$

A\* expands some nodes with  $f(n) = C^*$

A\* expands no nodes with  $f(n) > C^*$

29


## Proof of lemma: Consistency

A heuristic is *consistent* if

$$h(n) \leq c(n, a, n') + h(n')$$

If  $h$  is consistent, we have

$$\begin{aligned} f(n') &= g(n') + h(n') \\ &= g(n) + c(n, a, n') + h(n') \\ &\geq g(n) + h(n) \\ &= f(n) \end{aligned}$$



I.e.,  $f(n)$  is nondecreasing along any path.

30

## Admissible heuristics

E.g., for the 8-puzzle:

$h_1(n)$  = number of misplaced tiles

$h_2(n)$  = total **Manhattan** distance

(i.e., no. of squares from desired location of each tile)

5	4	
6	1	8
7	3	2

Start State

1	2	3
8		4
7	6	5

Goal State

$h_1(S) = ??$

$h_2(S) = ??$

## Admissible heuristics

E.g., for the 8-puzzle:

$h_1(n)$  = number of misplaced tiles

$h_2(n)$  = total **Manhattan** distance

(i.e., no. of squares from desired location of each tile)

5	4	
6	1	8
7	3	2

Start State

1	2	3
8		4
7	6	5

Goal State

$h_1(S) = ??$  7

$h_2(S) = ??$   $4+0+3+3+1+0+2+1 = 14$



## Dominance

If  $h_2(n) \geq h_1(n)$  for all  $n$  (both admissible)  
then  $h_2$  *dominates*  $h_1$  and is better for search

Typical search costs:

$d = 14$     IDS = 3,473,941 nodes

$A^*(h_1) = 539$  nodes

$A^*(h_2) = 113$  nodes

$d = 24$     IDS  $\approx 54,000,000,000$  nodes

$A^*(h_1) = 39,135$  nodes

$A^*(h_2) = 1,641$  nodes

## Relaxed problems

Admissible heuristics can be derived from the *exact*  
solution cost of a *relaxed* version of the problem


If the rules of the 8-puzzle are relaxed so that a tile can move *anywhere*,  
then  $h_1(n)$  gives the shortest solution

If the rules are relaxed so that a tile can move to *any adjacent square*, then  
 $h_2(n)$  gives the shortest solution

Key point: the optimal solution cost of a relaxed problem  
is no greater than the optimal solution cost of the real problem

## Relaxed problems contd.

Well-known example: **travelling salesperson problem** (TSP)  
Find the shortest tour visiting all cities exactly once



**Minimum spanning tree** can be computed in  $O(n^2)$   
and is a lower bound on the shortest (open) tour

35

## Iterative improvement algorithms

In many optimization problems, *path* is irrelevant;  
the goal state itself is the solution

Then state space = set of “complete” configurations;

find *optimal* configuration, e.g., TSP

or, find configuration satisfying constraints, e.g., timetable


In such cases, can use *iterative improvement* algorithms;  
keep a single “current” state, try to improve it

Constant space, suitable for online as well as offline search

36

### Example: Travelling Salesperson Problem

Start with any complete tour, perform pairwise exchanges




37

### Example: $n$ -queens

Put  $n$  queens on an  $n \times n$  board with no two queens on the same row, column, or diagonal

Move a queen to reduce number of conflicts



38

## Hill-climbing (or gradient ascent/descent)

“Like climbing Everest in thick fog with amnesia”


```
function HILL-CLIMBING(problem) returns a state that is a local maximum
inputs: problem, a problem
local variables: current, a node
                   neighbor, a node

current ← MAKE-NODE(INITIAL-STATE[problem])
loop do
  neighbor ← a highest-valued successor of current
  if VALUE[neighbor] < VALUE[current] then return STATE[current]
  current ← neighbor
end
```

39

## Hill-climbing contd.

Problem: depending on initial state, can get stuck on local maxima



In continuous spaces, problems w/ choosing step size, slow convergence

40

## Simulated annealing

Idea: escape local maxima by allowing some “bad” moves  
*but gradually decrease their size and frequency*

```
function SIMULATED-ANNEALING(problem, schedule) returns a solution state
inputs: problem, a problem
         schedule, a mapping from time to “temperature”
local variables: current, a node
                  next, a node
                  T, a “temperature” controlling prob. of downward steps

current ← MAKE-NODE(INITIAL-STATE[problem])
for t ← 1 to ∞ do
  T ← schedule[t]
  if T = 0 then return current
  next ← a randomly selected successor of current
   $\Delta E$  ← VALUE[next] – VALUE[current]
  if  $\Delta E > 0$  then current ← next
  else current ← next only with probability  $e^{\Delta E/T}$ 
```

41

## Properties of simulated annealing

At fixed “temperature”  $T$ , state occupation probability reaches Boltzman distribution

$$p(x) = \alpha e^{\frac{E(x)}{kT}}$$

$T$  decreased slowly enough  $\implies$  always reach best state

Is this necessarily an interesting guarantee??

Devised by Metropolis et al., 1953, for physical process modelling

Widely used in VLSI layout, airline scheduling, etc.

42